





Taco Booster Submittal Information









Pump	A	В		С	
Model		150#	300#	150#	300#
CI1206	9.2	13.1	13.3	24.3	24.5
CI1207	10.3	13.1	13.3	25.3	25.5
CI1209	11.1	17.0	17.2	27.1	27.4
CI1506	9.2	13.9	14.2	25.3	25.5
CI1507	10.3	13.7	14.0	24.8	25.0
CI1509	11.1	14.0	14.3	27.0	27.3
CI2007	10.3	14.6	14.9	21.6	21.9
CI2009	11.1	14.5	14.8	23.6	23.9
CI2506	10.3	13.6	14.0	22.7	23.0
CI2507	11.1	14.5	14.8	22.3	22.6

Booster Info Section				
Project:				
Rep.:				
Model:				
Pump Details:				
Total Package Flow (USGPM)				
Total Package Head (ft):				
Sequence of Operation:				
Header Size:				
Motor Enclosure:				
Motor Electrics:				
Integrated Drive Controller Enclosure: UL type				

UL/CSA Labelled

Dual DC-link chokes (5% AC line reactor)

Protocols (Standard): BacNet, Modbus RTU, N2 Metasys, FLN Apogee, FC Protocol

NOTES:

- Not to be used for construction/piping unless certified
 Control Panel arrangement/design may vary
 Dimensions are approx.
 Maximum operating pressure is

Dratter	Remarks:

MODIFICATION

5.			

REV DATE DRW BY



Dec: ±0.06



TAG:



Taco Canada LTD. 8450 Lawson road Unit 3 Milton, ON, L9T0J8

SHEET 1 OF 1 WEIGHT: