





## **Taco Booster Submittal Information**









Pump	Α	В		Cmax	
Model		150#	300#		
KS1506	8.7	46.5	47	38.3	
KV1507	8.5	47.5	48.1	38.2	
KV1509	8.4	47.5	48.1	50.5	
KV2006	8.9	38.7	39.2	38.8	
KV2007	9.0	40.2	40.7	45.0	
KV2009	8.9	42.2	42.7	50.5	
KV3006	9.0	43.2	43.9	38.8	
KV3007	10.3	44.7	45.44	51.7	

Booster Info Section		
Project:		
Rep.:		
Model:		
Pump Details:		
Total Package Flow (USGPM)		
Total Package Head (ft):		
Sequence of Operation:		
Header Size:		
Motor Enclosure:		
Motor Electrics:		
Integrated Driv	e Controller Enclosure: UL type	

UL/CSA Labelled Dual DC-link chokes (5% AC line reactor) Protocols (Standard): BacNet, Modbus RTU, N2 Metasys, FLN Apogee, FC Protocol

NOTES:

Not to be used for construction/piping unless certified
Control Panel arrangement/design may vary
Dimensions are approx.
Maximum operating pressure is

Drafter Remarks:
------------------

MODIFICATION

## DRW RY

Dec: ±0.06





Taco Canada LTD. 8450 Lawson road Unit 3 Milton, ON, L910J8

REV DATE DRW BY TAG: SHEET 1 OF 1 WEIGHT:

Angle: ±1/2'

DATE:

SCALE: NTS