

50 HZ PERFORMANCE CURVES (International)



CI Pumps






CI Series | Model: 1206D | 1450 RPM

Curve No. 4182 | Min. Imp. Dia. 4.25" | Size 2x1.5x6.25 | February 07, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1206D-4P-PM
Pump & Motor: PEI_{CL} : 0.88[†] | ER_{CL} : 12[†]






CI Series | Model: 1206D | 2900 RPM

Curve No. 4181 | Min. Imp. Dia. 4.25" | Size 2x1.5x6.25 | February 07, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1206D-2P-PM
Pump & Motor: $PEI_{CL}: 0.92^{\dagger}$ | $ER_{CL}: 8^{\dagger}$






CI Series | Model: 1207D | 1450 RPM

Curve No. 4186 | Min. Imp. Dia. 5.25" | Size 2x1.25x7.25 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1207D-4P-PM
Pump & Motor: PEI_{CL} : 0.78[†] | ER_{CL} : 22[†]






CI Series | Model: 1207D | 2900 RPM

Curve No. 4185 | Min. Imp. Dia. 5.25" | Size 2x1.25x7.25 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1207D-2P-PM
Pump & Motor: $PEI_{CL}: 0.83^{\dagger}$ | $ER_{CL}: 17^{\dagger}$








MODEL 1209C
FI & CI Series

1450 RPM
March 1, 2013

Curve no. 2721
Min. Imp. Dia. 6.7"
Size 1.5 X 1.25 X 9.5








CI Series | Model: 1506D | 1450 RPM

Curve No. 4191 | Min. Imp. Dia. 4.25" | Size 2.5x1.5x6.25 | February 07, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1506D-4P-PM
Pump & Motor: $PEI_{CL}: 0.88^\dagger$ | $ER_{CL}: 12^\dagger$






CI Series | Model: 1506D | 2900 RPM

Curve No. 4190 | Min. Imp. Dia. 4.25" | Size 2.5x1.5x6.25 | February 07, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1506D-2P-PM
Pump & Motor: $PE_{CL}: 0.89^{\dagger}$ | $ER_{CL}: 11^{\dagger}$






CI Series | Model: 1507D | 1450 RPM

Curve No. 4195 | Min. Imp. Dia. 5.25" | Size 2.5x1.5x7.25 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1507D-4P-PM
Pump & Motor: $PEI_{CL}: 0.83^\dagger$ | $ER_{CL}: 17^\dagger$






CI Series | Model: 1507D | 2900 RPM

Curve No. 4194 | Min. Imp. Dia. 5.25" | Size 2.5x1.5x7.25 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1507D-2P-PM
Pump & Motor: $PEI_{CL}: 0.87^{\dagger}$ | $ER_{CL}: 13^{\dagger}$






CI Series | Model: 1509D | 1450 RPM

Curve No. 4200 | Min. Imp. Dia. 6.75" | Size 2.5x1.5x9.5 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1509D-4P-PM
Pump & Motor: $PEI_{CL}: 0.83^{\dagger}$ | $ER_{CL}: 17^{\dagger}$




[†] PEI/ER values based on 60Hz test.



CI Series | Model: 1509D | 2900 RPM

Curve No. 4199 | Min. Imp. Dia. 6.75" | Size 2.5x1.5x9.5 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI1509D-2P-PM
Pump & Motor: $PEI_{CL}: 0.87^{\dagger}$ | $ER_{CL}: 13^{\dagger}$






Model 1511
FI & CI Series

1450 RPM
JUNE 22, 2004

Curve no. 2098
Min. Imp. Dia. 210mm(8.25")
Size 2.5 X 1.5 X 11.0






CI Series | Model: 2007D | 1450 RPM

Curve No. 4205 | Min. Imp. Dia. 5.25" | Size 2.5x2x7.25 | January 27, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2007D-4P-PM
Pump & Motor: $PEI_{CL}: 0.86^{\dagger}$ | $ER_{CL}: 14^{\dagger}$






CI Series | Model: 2007D | 2900 RPM

Curve No. 4204 | Min. Imp. Dia. 5.25" | Size 2.5x2x7.25 | January 27, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2007D-2P-PM
Pump & Motor: $PEI_{CL}: 0.9^{\dagger}$ | $ER_{CL}: 10^{\dagger}$






CI Series | Model: 2009D | 1450 RPM

Curve No. 4210 | Min. Imp. Dia. 6.75" | Size 2.5x2x9.5 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2009D-4P-PM
Pump & Motor: $PEI_{CL}: 0.84^{\dagger}$ | $ER_{CL}: 16^{\dagger}$






CI Series | Model: 2009D | 2900 RPM

Curve No. 4209 | Min. Imp. Dia. 6.75" | Size 2.5x2x9.5 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2009D-2P-PM
Pump & Motor: $PE_{CL}: 0.89^{\dagger}$ | $ER_{CL}: 11^{\dagger}$






CI Series | Model: 2506D | 1450 RPM

Curve No. 4215 | Min. Imp. Dia. 4.25" | Size 3x2.5x6.25 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2506D-4P-PM
Pump & Motor: $PEI_{CL}: 0.85^{\dagger}$ | $ER_{CL}: 15^{\dagger}$






CI Series | Model: 2506D | 2900 RPM

Curve No. 4213 | Min. Imp. Dia. 4.25" | Size 3x2.5x6.25 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2506D-2P-PM
Pump & Motor: $PE_{CL}: 0.87^{\dagger}$ | $ER_{CL}: 13^{\dagger}$






CI Series | Model: 2507D | 1450 RPM

Curve No. 4219 | Min. Imp. Dia. 5.5" | Size 3x2.5x7.25 | February 11, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2507D-4P-PM
Pump & Motor: $PEI_{CL}: 0.93^{\dagger}$ | $ER_{CL}: 7^{\dagger}$






CI Series | Model: 2507D | 2900 RPM

Curve No. 4217 | Min. Imp. Dia. 5.5" | Size 3x2.5x7.25 | February 11, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2507D-2P-PM
Pump & Motor: $PE_{CL}: 0.94^{\dagger}$ | $ER_{CL}: 6^{\dagger}$






CI Series | Model: 2509D | 1450 RPM

Curve No. 4224 | Min. Imp. Dia. 6.75" | Size 3x2.5x9.5 | January 31, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2509D-4P-PM
Pump & Motor: $PEI_{CL}: 0.87^{\dagger}$ | $ER_{CL}: 13^{\dagger}$







CI Series | Model: 2509D | 2900 RPM

Curve No. 4222 | Min. Imp. Dia. 6.75" | Size 3x2.5x9.5 | January 31, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2509D-2P-PM
Pump & Motor: $PE_{CL}: 0.89^{\dagger}$ | $ER_{CL}: 11^{\dagger}$








CI Series | Model: 2511D | 1450 RPM

Curve No. 4227 | Min. Imp. Dia. 8.0" | Size 3x2.5x11.0 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2511D-4P-PM
Pump & Motor: $PE_{CL}: 0.86^{\dagger}$ | $ER_{CL}: 14^{\dagger}$






CI Series | Model: 2513D | 1450 RPM

Curve No. 4230 | Min. Imp. Dia. 9.5" | Size 3x2.5x13.5 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI2513D-4P-PM
Pump & Motor: $PEI_{CL}: 0.89^{\dagger}$ | $ER_{CL}: 11^{\dagger}$






CI Series | Model: 3007D | 1450 RPM

Curve No. 4235 | Min. Imp. Dia. 5.25" | Size 4x3x7.25 | January 27, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI3007D-4P-PM
Pump & Motor: PEI_{CL} : 0.89[†] | ER_{CL} : 11[†]






CI Series | Model: 3007D | 2900 RPM

Curve No. 4233 | Min. Imp. Dia. 5.25" | Size 4x3x7.25 | January 27, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI3007D-2P-PM
Pump & Motor: $PE_{CL}: 0.9^{\dagger}$ | $ER_{CL}: 10^{\dagger}$






CI Series | Model: 3009D | 1450 RPM

Curve No. 4240 | Min. Imp. Dia. 6.75" | Size 4x3x9.5 | January 29, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI3009D-4P-PM
Pump & Motor: PEI_{CL}: 0.9[†] | ER_{CL}: 10[†]






CI Series | Model: 3009D | 2900 RPM

Curve No. 4238 | Min. Imp. Dia. 6.75" | Size 4x3x9.5 | February 12, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI3009D-2P-PM
Pump & Motor: $PE_{CL}: 0.93^{\dagger}$ | $ER_{CL}: 7^{\dagger}$






CI Series | Model: 3011D | 1450 RPM

Curve No. 4243 | Min. Imp. Dia. 8.0" | Size 4x3x11.0 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI3011D-4P-PM
Pump & Motor: $PE_{CL}: 0.91^{\dagger}$ | $ER_{CL}: 9^{\dagger}$






CI Series | Model: 3013D | 1450 RPM

Curve No. 4246 | Min. Imp. Dia. 9.5" | Size 4x3x13.5 | January 29, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI3013D-4P-PM
Pump & Motor: $PEI_{CL}: 0.89^{\dagger}$ | $ER_{CL}: 11^{\dagger}$






CI Series | Model: 4007D | 1450 RPM

Curve No. 4251 | Min. Imp. Dia. 5.75" | Size 5x4x7.25 | February 06, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI4007D-4P-PM
Pump & Motor: $PEI_{CL}: 0.91^{\dagger}$ | $ER_{CL}: 9^{\dagger}$






CI Series | Model: 4007D | 2900 RPM

Curve No. 4249 | Min. Imp. Dia. 5.75" | Size 5x4x7.25 | January 31, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI4007D-2P-PM
Pump & Motor: $PE_{CL}: 0.92^{\dagger}$ | $ER_{CL}: 8^{\dagger}$







CI Series | Model: 4009D | 1450 RPM

Curve No. 4254 | Min. Imp. Dia. 6.75" | Size 5x4x9.5 | February 03, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI4009D-4P-PM
Pump & Motor: $PEI_{CL}: 0.92^{\dagger}$ | $ER_{CL}: 8^{\dagger}$








CI Series | Model: 4013D | 1450 RPM

Curve No. 4257 | Min. Imp. Dia. 9.5" | Size 5x4x13.5 | January 29, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI4013D-4P-PM
Pump & Motor: $PEI_{CL}: 0.92^{\dagger}$ | $ER_{CL}: 8^{\dagger}$






CI Series | Model: 5007D | 1450 RPM

Curve No. 4262 | Min. Imp. Dia. 5.75" | Size 6x5x7.25 | January 30, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI5007D-4P-PM
Pump & Motor: $PEI_{CL}: 0.91^{\dagger}$ | $ER_{CL}: 9^{\dagger}$






CI Series | Model: 5007D | 2900 RPM

Curve No. 4260 | Min. Imp. Dia. 5.75" | Size 6x5x7.25 | January 30, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI5007D-2P-PM
Pump & Motor: $PEI_{CL}: 0.91^{\dagger}$ | $ER_{CL}: 9^{\dagger}$






CI Series | Model: 5009D | 1450 RPM

Curve No. 4265 | Min. Imp. Dia. 7.0" | Size 6x5x9.5 | February 04, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI5009D-4P-PM
Pump & Motor: $PEI_{CL}: 0.92^{\dagger}$ | $ER_{CL}: 8^{\dagger}$






CI Series | Model: 5011D | 1450 RPM

Curve No. 4268 | Min. Imp. Dia. 8.0" | Size 6x5x11.0 | January 27, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI5011D-4P-PM
Pump & Motor: $PEI_{CL}: 0.94^\dagger$ | $ER_{CL}: 6^\dagger$






CI Series | Model: 6009D | 1450 RPM

Curve No. 4271 | Min. Imp. Dia. 7.5" | Size 8x6x9.5 | February 12, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI6009D-4P-PM
Pump & Motor: $PEI_{CL}: 0.93^\dagger$ | $ER_{CL}: 7^\dagger$





CI Series | Model: 6011D | 1450 RPM

Curve No. 4274 | Min. Imp. Dia. 8.0" | Size 8x6x11.0 | January 29, 2020

Energy Efficiency Rating: DOE Basic Model Number: CI6011D-4P-PM
Pump & Motor: PEI_{CL} : 0.92[†] | ER_{CL} : 8[†]

