



JOB DETAILS

JOB: _____ **REPRESENTATIVE:** _____

ENGINEER: _____ **CONTRACTOR:** _____



PRODUCT DATA

MODEL NO. _____ VMS 10VR	BacNet <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	MOC _____	MAX SUCTION _____
PRESSURE _____ 175 PSIG* (1210 KPA)	SCCR _____ 100K	BREAK TANK _____	BOOST PRESSURE _____
RPM _____ 3600	ITEM NO. _____	VOLTAGE _____	
FLANGE _____ ANSI Class 125	HORSEPOWER _____	SPLIT _____	
SYSTEM TYPE _____ ANSI Class 150	PUMP/MOTOR _____	MCA _____	
REQUIRED SYSTEM PRESSURE _____ 250°F (120°C)	RATED SUCTION PRESSURE _____		


 Meets ASHRAE 90.1 Qualification
 *In accordance with ANSI Standard B16.1 Class 125
 NSF/ANSI/CAN 61 CERTIFIED

DIMENSIONS

PUMP MODEL	10VR			
HORSEPOWER (KW)	3 (2.2)		5 (3.7)	
MOTOR FRAME ODP	56C		182TC	
MAX. WEIGHT LBS (KG)	808 (366)	839 (381)	875 (397)	891 (404)
FLANGE SIZE ASA	2.5	3	2.5	3
A	8.54 (217)			
B	29.04 (737)	29.41 (747)	29.04 (737)	29.41 (747)
C	21.74 (552)		24.77 (629)	
D	11.01 (280)		13.48 (342)	
E	41.14 (1045)	41.14 (1045)	41.14 (1045)	41.14 (1045)
F	27.27 (693)	27.64 (702)	27.78 (706)	28.15 (715)
G	12.51 (318)	12.51 (318)	12.51 (318)	12.51 (318)
H	2.76 (70)	2.76 (70)	2.76 (70)	2.76 (70)
J	9.69 (246)	9.69 (246)	9.69 (246)	9.69 (246)





Submittal

VERTICAL MULTI-STAGE PUMP MATERIALS OF CONSTRUCTION

CASING	COVER	IMPELLER	SHAFT	SHAFT SLEEVE	MECHANICAL SEAL
Stainless Steel AISI 316	Tungsten Carbide WC	Graphite/SIC EPDM			

NSF/ANSI/CAN 61 CERTIFIED

COMMENTS